Sanitized Copy Approved for I	Release 2011/08/22 : CIA-RDP78	Walt Ste Honk HD andy Tyli
		Warren Just hate: Pae. return to JRF 13 February 1956
MEMORANDUM FOR: THE R	ECORD	
SUBJECT : Visit	tc Atsugi Cl	ock Testing
for briefing and discuss program. 2. As of that date completed. Results obtained that the complete of the com	l February 1956, the write ssion concerning progress of the room and low temperatur tained from testing the smane device will be reliable of the thirty units stopped ge error of approximately t	f the subject testing es tests had been ll wrist-watch type at temperatures no
for delays of 3,6,9 and units were made at room for any one run was 8 of This occurred on the 12	ved from room and low temperate possible undesirable possible undesirable possible undesirable possible undesirable possible undesirable possible for each of the maximum pout of 30 for the 12 hour room because a greated revolve into interference	erformance. One run thirty available number of stoppages oom temperature run. r chance existed for

In addition, 2 units stopped at the same reading of the hands as they did on previous tests. This would indicate the presence of a burr or malformed gear tooth.

One unit failed to fire (release firing pin) on the initial test, but fired successfully on subsequent tests. Also, another unit failed to fire on a subsequent test. These results portray a lack of reliability in that certain units which appear satisfactory on one ocassion may fail to fire in a later test.

Furthermore, several of the alarm clock units which stopped for most of the tests functioned satisfactorily in the uncocked condition.

Also, two units were observed to have loose and free-swinging minute hands without previous rough handling.

4. During the writer's visit, the outline form for the final report was established, and it is expected that all results will be available for incorporation into the report by 15 February 1956.

25X*²* 25X1

CONFID